

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

IN THE CLAIMS:

1. (previously presented) An endovenous method of treating a varicose veins comprising the step of using a laser having a wavelength between about 1.2 and about 1.8  $\mu\text{m}$  to heat and shrink collagen in a varicose vein and to destroy the functionality of the varicose vein.

2. (original) The method of claim 1 in which the laser energy is delivered with a fiber optic laser delivery device.

3. (previously presented) The method of claim 1 further comprising the following steps:

inserting a fiber optic laser delivery device into the varicose vein;

using a pullback device to retract the fiber optic laser delivery device through the varicose vein at a rate of between about 0.1 mm/sec and about 10.0 mm/sec while simultaneously delivering laser energy therefrom.

4. (original) The method of claim 3 in which the fiber optic laser delivery device is retracted at a rate of between about 1.0 mm/sec and about 5.0 mm/sec.

5. (original) The method of claim 3 in which the pullback device begins retraction of the fiber optic laser delivery device just prior to initiating delivery of the laser energy, thereby preventing the tip of the fiber, optic laser delivery device from sticking to the vessel wall.

6. (previously presented) The method of claim 1 further comprising the preliminary step of removing blood from the varicose vein prior to treatment with laser energy.

7. (original) The method of claim 2 in which the fiber optic laser delivery device is introduced to the varicose vein through an introducer catheter.

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

8. (original) The method of claim 2 in which the energy delivered through the fiber optic laser delivery device is evenly distributed by using a diffuse radiating-tip mounted to the distal end of the fiber optic laser delivery device.

9. (original) The method of claim 2 in which an non-contact thermal sensor is used to maintain a desired temperature.

10. (original) The method of claim 9 in which the thermal sensor is used to maintain a desired coagulation temperature.

11. (original) The method of claim 9 in which the thermal sensor is used to maintain a desired collagen shrinkage temperature.

12. (previously presented) The method of claim 2 further comprising the step of using the fiber optic laser delivery device as a thermal sensing element.

13. (original) The method of claim 9 further comprising the step of modulating the laser power based on the sensed temperature to maintain the desired temperature.

14. (previously presented) A system for endovenous treatment of varicose veins comprising the following:

a laser having a wavelength between about 1.2 and about 1.8  $\mu\text{m}$ ; and

a fiber optic laser delivery device having a proximal end and a distal end, for delivery of laser energy from the distal end of the fiber optic laser delivery device to the inside wall of a varicose vein wherein the functionality of the varicose vein is destroyed and collagen in the varicosed vessel wall can be heated and shrunk.

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

15. (previously presented) The system of claim 14 further comprising a pullback device which retracts the fiber optic laser delivery device through the varicose vein at a rate of between about 0.1 mm/sec and about 10.0 mm/sec.

16. (previously presented) The system of claim 14 further comprising means for administration of anesthesia to tissue surrounding the varicose vein, wherein the anesthesia causes swelling of the tissue surrounding the varicose vein which causes compression of the varicose vein in order to remove blood prior to treatment.

17. (previously presented) The system of claim 14 further comprising an introducer catheter in which an elongated lumen portion has a proximal end and a distal end, wherein the fiber optic laser delivery device is introduced to the introducer catheter through the proximal end and is introduced to the varicose vein through the distal end.

18. (cancelled)

19. (previously presented) The system of claim 17 further comprising a diffusing tip at the distal end of the introducer catheter for providing even distribution of energy radiating during treatment.

20. (previously presented) The system of claim 17 further comprising a diffusing tip at the distal end of the fiber optic laser delivery device for providing even distribution of energy radiating during treatment.

21. (original) The system of claim 14 further comprising a non-contact thermal sensor.

22. (original) The system of claim 21 further comprising a controller coupled to the thermal sensor for controlling the temperature in a region near the distal end of the fiber optic

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

laser delivery device.

23. (original) The system of claim 22 in which the controller modulates a power input to the laser for controlling the temperature in a region near the distal end of the fiber optic laser delivery device.

24. (cancelled)

25. (previously presented) An endovenous method of treating varicose veins with laser energy to heat and shrink collagen in the vein and to destroy the functionality of the varicose vein, the method comprising the following steps:

inserting a laser delivery device into the varicose vein;

delivering laser energy having a wavelength between about 1.2 and about 1.8 um to the varicose vein; and

retracting the laser delivery device through the varicose vein, thereby heating and shrinking the collagen in the vein and destroying the functionality of the varicose vein.

26. (previously presented) The method of claim 1 wherein the laser has a wavelength of about 1.32 um.

27. (previously presented) The system of claim 14 wherein the laser has a wavelength of 1.32 um.

28. (previously presented) The method of claim 25 wherein the laser energy has a wavelength of about 1.32. um.

29. (previously presented) The method of claim 1 wherein said laser is a Nd:YAG laser.

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

30. (previously presented) The system of claim 14 wherein said laser is a Nd:YAG laser.

31. (previously presented) The method of claim 25 wherein said laser is a Nd:YAG laser.

32. (previously presented) The method of claim 1 wherein the laser energy preferentially heats the water in the wall of the vein.

33. (previously presented) The system of claim 14 wherein the laser is adapted to preferentially heat water.

34. (previously presented) The method of claim 25 wherein the laser energy preferentially heats the water in the wall of the vein.

35. (previously presented) A method of treating varicose veins, comprising:  
providing a beam of light comprising a wave length in the range of about 1200 nm to about 1800 nm; and

delivering endovascularly the beam of light to target a chromophore comprising water in the wall of a targeted varicose vein to treat the vein.

36. (previously presented) The method of claim 35 further comprising delivering the beam of light adjacent to the wall of the targeted varicose vein.

37. (previously presented) The method of claim 1 wherein said wave length is about 1320 nm.

38. (previously presented) The method of claim 35 further comprising delivering the beam of light via an optical fiber.

Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

39. (previously presented) The method of claim 38 further comprising delivering the beam of light through a diffusing tip connectable to the optical fiber.

40. (previously presented) The method of claim 35 wherein the treatment comprises reducing the size of the targeted varicose vein.

41. (previously presented) The method of claim 1 further comprising heating the target chromophore to a temperature not greater than about 85° C.

42. (previously presented) The method of claim 38 wherein a pull-back device is used to position the optical fiber.

43. (previously presented) The method of claim 42 wherein the pull-back device withdraws the optical fiber from the targeted varicose vein at a rate of between about 0.1 mm/sec. and about 10.0 mm/sec.

44. (previously presented) The method of claim 35 in which blood is removed from the varicose vein prior to treatment with the beam of light.

45. (previously presented) The method of claim 35 wherein the beam of light has a power between about 1 to about 20 watts.

46. (previously presented) The method of claim 45 wherein the beam of light has a power of about 5 watts.


Applicant : David R. Hennings, et al.  
Appl. No. : 10/699,212  
Examiner : David M. Shay  
Docket No. : 15487.4002

The Commissioner is authorized to charge any fee which may be required in connection with this Amendment to deposit account No. 15-0665.

Respectfully submitted,

ORRICK, HERRINGTON & SUTCLIFFE LLP

Dated: February 22, 2006

By:   
James W. Geriak, Reg. No. 20,233

Orrick, Herrington & Sutcliffe LLP  
4 Park Plaza, Suite 1600  
Irvine, CA 92614-2558  
Tel. 949-567-6700  
Fax: 949-567-6710